

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("7181125" "6078721").pn.	US-PGPUB; USPAT	OR	ON	2009/04/07 13:51
S2	19	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and ((chang\$3 or modify\$3) with buffer near size)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:15
S3	27	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and (delay with number with packets)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:28
S4	6	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and (delay with number adj packets)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:30
S5	1	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and (threshold with number adj packets)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:31
S6	0	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and (reference with number adj packets)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:31
S7	13	((@ad<"19990803" or @rlad<"19990803") and (delay with number adj packets with threshold)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:32
S8	419	((@ad<"19990803" or @rlad<"19990803") and jitter.ti.	US-PGPUB; USPAT	OR	ON	2006/06/05 10:33
S9	24	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (number adj (packets or cells or bytes))	US-PGPUB; USPAT	OR	ON	2006/11/27 09:07
S10	9	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (buffer with threshold)	US-PGPUB; USPAT	OR	ON	2006/06/05 10:45

S11	4	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (output with packet with number))	US-PGPUB; USPAT	OR	ON	2006/06/05 10:46
S12	2	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (wait with packet with number))	US-PGPUB; USPAT	OR	ON	2006/06/05 10:47
S13	14	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (begin with output\$3))	US-PGPUB; USPAT	OR	ON	2006/06/05 10:47
S14	0	((@ad<"19990803" or @rlad<"19990803") and jitter.ti. and (begin with output\$3 with threshold))	US-PGPUB; USPAT	OR	ON	2006/06/05 10:48
S15	193	Hayashi and takeo	US-PGPUB; USPAT	OR	ON	2006/06/05 10:52
S16	0	Hayashi and takeo and thrshold	US-PGPUB; USPAT	OR	ON	2006/06/05 10:52
S17	38	Hayashi and takeo and threshold	US-PGPUB; USPAT	OR	ON	2006/06/05 10:52
S18	0	Hayashi and takeo and threshold adj "207"	US-PGPUB; USPAT	OR	ON	2006/06/05 10:53
S19	0	Hayashi and takeo and threshold with buffer	US-PGPUB; USPAT	OR	ON	2006/06/05 10:53
S20	25	Hayashi and takeo and buffer	US-PGPUB; USPAT	OR	ON	2006/06/05 10:53
S21	18	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) and ((chang\$3 or modify\$3) with buffer adj size))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:06
S22	9	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and ((chang\$3 or modify\$3) with buffer adj size))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:14
S23	37	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (discard\$3))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:07

S24	2	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (discard\$3 with threshold))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:07
S25	37	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (discard\$3))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:07
S26	2	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (discard\$3 with exceeds))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:08
S27	18	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (discard\$3 with packet))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:08
S28	9	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (adjust with clock))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:14
S29	2	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and (adjust adj clock))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:14
S30	12	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer) and ((adjust or modify or change) with clock))	US-PGPUB; USPAT	OR	ON	2006/06/05 11:14
S31	59	((@ad<"19990803" or @rlad<"19990803") and (takeo and hayashi).in.	US-PGPUB; USPAT	OR	ON	2006/11/27 09:07
S32	4	((@ad<"19990803" or @rlad<"19990803") and (takeo and hayashi).in. and buffer	US-PGPUB; USPAT	OR	ON	2006/11/27 09:08
S33	0	((@ad<"19990803" or @rlad<"19990803") and (adjust\$3 with initial with (readout or "read-out" or (read adj out)) with threshold))	US-PGPUB; USPAT	OR	ON	2006/11/27 09:09
S34	4	((@ad<"19990803" or @rlad<"19990803") and (adjust\$3 with initial with (delay) with threshold))	US-PGPUB; USPAT	OR	ON	2006/11/27 09:13

S35	1	"11215182".pn.	US- PGPUB; USPAT; JPO	OR	ON	2006/11/27 09:10
S36	0	((@ad<"19990803" or @rlad<"19990803") and ((adjust\$3 or modify\$3 or chang\$3) with initial with jitter near2 delay)	US- PGPUB; USPAT	OR	ON	2006/11/27 09:14
S37	44	((@ad<"19990803" or @rlad<"19990803") and ((adjust\$3 or modify\$3 or chang\$3) with jitter near2 delay)	US- PGPUB; USPAT	OR	ON	2006/11/27 09:15
S38	11	((@ad<"19990803" or @rlad<"19990803") and ((adjust\$3 or modify\$3 or chang\$3) near2 jitter near2 delay)	US- PGPUB; USPAT	OR	ON	2007/05/16 08:44
S39	77	((@ad<"19990803" or @rlad<"19990803") and (jitter adj buffer)	US- PGPUB; USPAT	OR	ON	2007/05/16 08:44
S40	806	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer)	US- PGPUB; USPAT	OR	ON	2007/05/16 08:44
S41	69	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) with size	US- PGPUB; USPAT	OR	ON	2007/05/16 08:44
S42	17	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) with sequence	US- PGPUB; USPAT	OR	ON	2007/08/27 09:04
S43	50	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) with number	US- PGPUB; USPAT	OR	ON	2007/05/16 09:05
S44	41	((@ad<"19990803" or @rlad<"19990803") and (jitter with buffer) with number with (packet or frame or cell or data)	US- PGPUB; USPAT	OR	ON	2007/05/16 09:05
S45	0	((@ad<"19990803" or @rlad<"19990803") and ((initiat\$3 or start\$3 or begin \$4) with reproduction with packet with buffer with threshold)	US- PGPUB; USPAT	OR	ON	2007/08/27 09:04

S46	0	((@ad<"19990803" or @rlad<"19990803") and ((initiat\$3 or start\$3 or begin \$4) with reproduction with data with buffer with threshold)	US-PGPUB; USPAT	OR	ON	2007/08/27 09:04
S47	0	((@ad<"19990803" or @rlad<"19990803") and ((initiat\$3 or start\$3 or begin \$4) with reproduction with (data or packet or frame or cell) with buffer with threshold)	US-PGPUB; USPAT	OR	ON	2007/08/27 09:05
S48	67	((@ad<"19990803" or @rlad<"19990803") and ((initiat\$3 or start\$3 or begin \$4) with (output\$3 or reproduc\$4 or transmit\$4) with (data or packet or frame or cell) with buffer with threshold)	US-PGPUB; USPAT	OR	ON	2007/08/27 09:05
S49	21	((@ad<"19990803" or @rlad<"19990803") and ((initiat\$3 or start\$3 or begin \$4) with (output\$3 or reproduc\$4 or transmit\$4) with (data or packet or frame or cell) with buffer with threshold with number)	US-PGPUB; USPAT	OR	ON	2007/08/27 09:06
S50	143	((@ad<"19990803" or @rlad<"19990803") and (jitter with adjust\$3 with clock)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:45
S51	44	((@ad<"19990803" or @rlad<"19990803") and (jitter with adjust\$3 near2 clock)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:46
S52	0	((@ad<"19990803" or @rlad<"19990803") and (jitter near2 buffer with adjust\$3 near2 clock)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:46
S53	44	((@ad<"19990803" or @rlad<"19990803") and (jitter with adjust\$3 near2 clock)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:46
S54	0	((@ad<"19990803" or @rlad<"19990803") and (jitter with adjust\$3 near2 clock) and (jitter adj buffer). ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:48

S55	1	((@ad<"19990803" or @rlad<"19990803") and (adjust\$3 near2 clock) and (jitter adj buffer).ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:48
S56	1	((@ad<"19990803" or @rlad<"19990803") and (adjust\$3 near2 rate) and (jitter adj buffer).ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:49
S57	2	((@ad<"19990803" or @rlad<"19990803") and (chang\$3 near2 rate) and (jitter adj buffer).ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:50
S58	0	((@ad<"19990803" or @rlad<"19990803") and (chang\$3 near2 clock) and (jitter adj buffer).ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:50
S59	2	((@ad<"19990803" or @rlad<"19990803") and ((increas\$3 or decreas\$3 or chang\$3 or adjust\$4) near2 (clock or rate)) and (jitter adj buffer).ab.	US-PGPUB; USPAT	OR	ON	2008/04/14 10:51
S60	2293	((@ad<"19990803" or @rlad<"19990803") and ((increas\$3 or decreas\$3 or chang\$3 or adjust\$4) near2 (clock or rate) with buffer)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:51
S61	18	((@ad<"19990803" or @rlad<"19990803") and ((increas\$3 or decreas\$3 or chang\$3 or adjust\$4) near2 (clock or rate) with buffer with jitter)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:52
S62	13	((@ad<"19990803" or @rlad<"19990803") and ((increas\$3 or decreas\$3 or chang\$3 or adjust\$4) near3 (rate) with buffer with jitter)	US-PGPUB; USPAT	OR	ON	2008/04/14 10:52
S63	3577	((@ad<"19990803" or @rlad<"19990803") and (discard\$3 with packets)	US-PGPUB; USPAT	OR	ON	2008/04/14 11:09
S64	66	((@ad<"19990803" or @rlad<"19990803") and (discard\$3 with (packets near2 (predetermined or fixed)))	US-PGPUB; USPAT	OR	ON	2008/04/14 11:10

S65	8	(@ad<"19990803" or @rlad<"19990803") and (discard\$3 with (packets near2 (predetermined or fixed)) with buffer)	US-PGPUB; USPAT	OR	ON	2008/04/14 11:10
S66	1	"6158010".pn.	US-PGPUB; USPAT	OR	ON	2008/04/14 11:27
S67	1	"4453247".pn.	US-PGPUB; USPAT	OR	ON	2008/04/14 11:31
S68	6	("6360054" "7181125" "7317903" "6078721" "5796436" "5742729").pn.	US-PGPUB; USPAT	OR	ON	2008/04/14 13:37
S69	2	("7317903" "7181125").pn.	US-PGPUB; USPAT	OR	ON	2008/12/18 08:01

4/7/09 1:51:56 PM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10031200.wsp